

TEST REPORT

Report No.: HC50030A/2021 Page: 1 of 12 Date: August 23, 2021

VECOW CO., LTD 3F., NO.10, JIANKANG RD., ZHONGHE DIST., NEW TAIPEI CITY, TAIWAN, R.O.C.

The following merchandise was submitted and identified by the vendor as:

Product Description: Style/ Item No.: Quantity: **Testing Period:** Note:

Fanless Embedded Box PC ECX-2200/ No.1, No.2 Total 2 sets May 7, 2021 to Aug. 9, 2021 System Configuration of Equipment under measurement: CPU: Intel(R) I7-10700E, 2.9GHz RAM: innodisk DDR4 2666 8GB SDD: innodisk 2.5" SATA SSD 3ME4 128GB

We have tested the submitted sample(s) as requested and the following results were obtained: Test Required: (According to client's test specification, please see following sheets in detail.)

- 1. Low Temperature Test
- 2. High Temperature Test
- 3. Random Vibration Test
- 4. Mechanical Shock Test

Test Results : -PLEASE SEE ATTACHED SHEETS-

Signed for and on behalf of SGS TAIWAN Ltd.

PIL

Hank Chiou Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對潮試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com.tw/Terms-and-Conditions</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/en/terms-and-conditions</u> and, for electronic format issues defined therein. Any holder of this document document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路31號 t (886-2) 2299-3279

SGS Taiwan Ltd 台灣檢驗科技股份有限公司

f (886-2) 2299-9558



TEST REPORT

Report No.:	HC5	50030A/	2021
Page:	2	of	12

1 Low Temperature Test:

	Brand	Model	Serial No.
d Humidity Chamber	GIANT FORCE	GTH-1000-60-CP-AR-H	MAA1810-001
tions:			
<u>(33 ± 20) % RH</u>			
No.31, Wu Chyuan	Road, New Taip	ei Industrial Park, WuKu	District,
New Taipei City, T	aiwan		
<u>1:</u>			
Non-Operating			
<u>-40 °C</u>			
<u>16 hours</u>			
	$\frac{\text{tions:}}{(25 \pm 3) \ ^{\circ}\text{C}}$ $(55 \pm 20) \ ^{\circ}\text{RH}$ $\frac{\text{No.31, Wu Chyuan}}{\text{New Taipei City, T}}$ $\frac{\text{Non-Operating}}{-40 \ ^{\circ}\text{C}}$	d Humidity Chamber GIANT FORCE tions: $(25 \pm 3) \ ^{\circ}C$ $(55 \pm 20) \ ^{\circ}RH$ No.31, Wu Chyuan Road, New Taip New Taipei City, Taiwan <u>New Taipei City, Taiwan</u>	d Humidity Chamber GIANT FORCE GTH-1000-60-CP-AR-H tions: $(25 \pm 3) \ ^{\circ}C}$ $(55 \pm 20) \ ^{\circ}RH$ No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu New Taipei City, Taiwan $\frac{100}{100}$

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "Burn In Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsfitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC	50030A/2	2021
Page:	3	of	12

Specimen: Style/Item No.:

Quantity:

ECX-2200/ No.1 Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
ECX-2200/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ent/erms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extend to the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC:	50030A/2	2021
Page:	4	of	12

Name		Brand	Model	Serial No.
Programmable Temperature a	nd Humidity Chamber	GIANT FORCE	GTH-1000-60-CP-AR-H	MAA1810-001
Lab Environmental Cond	itions:			
Ambient temperature:	<u>(25 ± 3) °C</u>			
Ambient humidity:	(55 ± 20) % RH			
Test Location:	No.31, Wu Chyuar	n Road, New Taip	ei Industrial Park, WuKu	ı District,
Test Location:	<u>No.31, Wu Chyuar</u> New Taipei City, T	-	ei Industrial Park, WuKu	<u>ı District,</u>
Test Location:		-	ei Industrial Park, WuKu	<u>ı District,</u>
Test Location: Test Method/ Specification	New Taipei City, T	-	ei Industrial Park, WuKu	<u>ı District,</u>
	New Taipei City, T	-	ei Industrial Park, WuKu	<u>ı District,</u>
Test Method/ Specification	New Taipei City, T	-	ei Industrial Park, WuKu	<u>1 District,</u>
Test Method/ Specification	<u>New Taipei City, T</u> on: <u>Non-Operating</u>	-	ei Industrial Park, WuKu	<u>ı District,</u>

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program"Burn In Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ent/erms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extend to the law.



TEST REPORT

Report No.:	HC	50030A/2	2021
Page:	5	of	12

Specimen:

Style/Item No.:

Quantity:

ECX-2200/ No.1 Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
ECX-2200/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ent/erms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extend to the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC	50030A/	2021
Page:	6	of	12

3. Random Vibration Test:

Test	Eq	ui	pment:

Name	Brand	Model	Serial No.
Vibration Tester	UNHOLTZ-DICKIE	SAI60-H560BAC/2/ST	474
Controller	Dactron	LASER	7110357
Control Accelerometer	PCB	353B34	LW213529

Lab Environmental Conditions:

Ambient temperature:	<u>(25 ± 3) °C</u>
Ambient humidity:	(55 ± 20) % RH
Test Location:	No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District,
	New Taipei City, Taiwan

Test Method/ Specification:

Sample condition:	Operating (exec	ute " Burn ln Tes	<u>t")</u>	
Wave form:	Random			
Frequency:	<u>(5 ~ 500) Hz</u>			
	Frequency (Hz)	Left Slope (dB/ Oct.)	PSD (g ² /Hz)	Right Slope (dB/ Oct.)
	5	_	0.05	0
	500	0	0.05	_
	→ equivalent	t to 5.0 Grms		
Direction:	X, Y, Z axes (se	e photo 5 ~ 7)		CIT
Duration:	30 minutes/ axis	<u>8</u>		

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsfitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC50030A/202		2021
Page:	7	of	12

Specimen: Style/Item No.: Quantity:

ECX-2200/ No.2 Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
ECX-2200/ No.2	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ent/erms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extend to the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC50030A/2		2021
Page:	8	of	12

4. Mechanical Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.
Shock Test System	LANSMONT	95-115D	M17656
Data Acquisition & Analysis System	LANSMONT	TP4 8A-CH SML 1115-001	1115-001
ICP Accelerometer	PCB	353M288	196438

Lab Environmental Conditions:

Ambient temperature:	(<u>25 ± 3) °C</u>
Ambient humidity:	(<u>55 ± 20) % RH</u>
Test Location:	<u>No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Taipei City, Taiwan</u>

Test Method/ Specification:

Test method:	IEC 60068-2-27 Edition 4.0:2008 and client's request
Sample condition:	Operating (execute " Burn In Test ")
Pulse shape:	Half-Sine
Acceleration:	<u>50 g</u>
Pulse duration:	<u>11 ms</u>
Shock direction:	<u>6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes, see photo 8 ~ 13)</u>
No. of shock:	3 shocks/ axis (total 18 shocks)

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program"BurnIn Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsfitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC50030A/202		2021
Page:	9	of	12

Specimen:

Style/Item No.:

Quantity:

ECX-2200/ No.2 Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
ECX-2200/ No.2	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ent/erms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extend to the law.



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No .:	HC50030A/2021		
Page:	10	of	12

Test Photos: Appearance of specimen 2 Appearance of specimen 1. 3. Low Temperature Test/ Low Temperature Test/ 4. **High Temperature Test High Temperature Test** 5. Random Vibration Test: X axis 6. Random Vibration Test: Y axis

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsfitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



TEST REPORT

Report No.:	HC5	0030A/	30A/2021	
Page:	11	of	12	

Test Photos--Continued:




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsfitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.:	HC50030A/2021		2021
Page:	12	of	12

Test Photos--Continued:



The End of Test Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/ent/erms-and-conditions/terms-and-conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsfitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558